





Material Safety Data Sheet

| NFPA | HMIS | WHMIS | TDG | DOT | | | | | | | | |
|--|--|--------|-----|--------------|---|------------------|---|---------------|---|---|---|---|
|  | <table border="1"> <tr><td>Health</td><td>1</td></tr> <tr><td>Flammability</td><td>0</td></tr> <tr><td>Physical hazards</td><td>0</td></tr> <tr><td>Suggested PPE</td><td>E</td></tr> </table> | Health | 1 | Flammability | 0 | Physical hazards | 0 | Suggested PPE | E |  |  |  |
| Health | 1 | | | | | | | | | | | |
| Flammability | 0 | | | | | | | | | | | |
| Physical hazards | 0 | | | | | | | | | | | |
| Suggested PPE | E | | | | | | | | | | | |

1 . Product and Company Identification

Product name 4819501 29-3-6 PTF Season long XCOARSE

Synonym Blended fertilizer plus micronutrients

MSDS prepared by the Environment, Health & Safety Department on: 4/8/2010.

Material uses Turf and Ornamental

Version 1

MSDS Number 4819501

In Case of Emergency

Transportation: 1-800-792-8311
Medical: 1-888-615-0015

Manufacturer Agrium Advanced Technologies, Inc.
10 Craig St.
Brantford, ON N3R 7J1

For more information on Agrium AT or our products, please go to:
<http://www.agriumat.com>
or contact us at Toll-Free:800-461-6471

2 . Hazards Identification

Physical state Solid.

OSHA/HCS status This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

Potential acute health effects

Inhalation Exposure to decomposition products may cause a health hazard. Serious effects may be delayed following exposure.

Ingestion May cause irritation to the digestive tract if swallowed.

Skin May cause skin irritation.

Eyes May irritate the eyes upon contact.

Potential chronic health effects

Chronic effects Contains material that may cause target organ damage, based on animal data.

Carcinogenicity No known significant effects or critical hazards.

Mutagenicity No known significant effects or critical hazards.

Teratogenicity No known significant effects or critical hazards.

Developmental effects No known significant effects or critical hazards.

Fertility effects No known significant effects or critical hazards.

Target organs Contains material which may cause damage to the following organs: lungs, gastrointestinal tract, upper respiratory tract, skin, eyes.

2 . Hazards Identification

Over-exposure signs/symptoms

| | |
|---|--|
| Inhalation | No specific data. |
| Ingestion | No specific data. |
| Skin | No specific data. |
| Eyes | No specific data. |
| Medical conditions aggravated by over-exposure | Pre-existing disorders involving any target organs mentioned in this MSDS as being at risk may be aggravated by over-exposure to this product. |

See toxicological information (section 11)

3 . Composition / Information on Ingredients

United States

| <u>Name</u> | <u>CAS number</u> | <u>%</u> |
|---------------------|-------------------|----------------|
| urea | 57-13-6 | 31.68 - 67.628 |
| Limestone | 1317-65-3 | 9 - 27 |
| potassium chloride | 7447-40-7 | 4.75 - 9.95 |
| diiron trioxide | 1309-37-1 | 0.9 - 4.75 |
| magnesium carbonate | 546-93-0 | 0.5 - 1.5 |

Canada

| <u>Name</u> | <u>CAS number</u> | <u>%</u> |
|---------------------|-------------------|----------------|
| urea | 57-13-6 | 31.68 - 67.628 |
| Limestone | 1317-65-3 | 9 - 27 |
| diiron trioxide | 1309-37-1 | 0.9 - 4.75 |
| magnesium carbonate | 546-93-0 | 0.5 - 1.5 |

Mexico

| <u>Name</u> | <u>CAS number</u> | <u>UN number</u> | <u>%</u> | <u>IDLH</u> | <u>Classification</u> | | | |
|---------------------|-------------------|------------------|------------|------------------------|-----------------------|----------|----------|----------------|
| | | | | | <u>H</u> | <u>F</u> | <u>R</u> | <u>Special</u> |
| Limestone | 1317-65-3 | Not available. | 9 - 27 | - | 0 | 0 | 0 | |
| diiron trioxide | 1309-37-1 | Not available. | 0.9 - 4.75 | 2500 mg/m ³ | 0 | 0 | 0 | |
| magnesium carbonate | 546-93-0 | Not available. | 0.5 - 1.5 | - | 0 | 0 | 0 | |

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

4 . First Aid Measures

| | |
|---------------------|--|
| Eye contact | Check for and remove any contact lenses. Immediately flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Get medical attention immediately. |
| Skin contact | In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash clothing before reuse. Clean shoes thoroughly before reuse. Get medical attention if irritation develops. |

4 . First Aid Measures

| | |
|-----------------------------------|---|
| Inhalation | Move exposed person to fresh air. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. Loosen tight clothing such as a collar, tie, belt or waistband. Get medical attention if symptoms appear. |
| Ingestion | Wash out mouth with water. Do not induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Get medical attention if symptoms appear. |
| Protection of first-aiders | No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. |
| Notes to physician | In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours. |

5 . Fire-fighting Measures

| | |
|---|---|
| Flammability of the product | No specific fire or explosion hazard. |
| <u>Extinguishing media</u> | |
| Suitable | Use an extinguishing agent suitable for the surrounding fire. |
| Not suitable | None known. |
| Special exposure hazards | Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. |
| Hazardous thermal decomposition products | Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides phosphorus oxides halogenated compounds metal oxide/oxides |
| Special protective equipment for fire-fighters | Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. |

6 . Accidental Release Measures

| | |
|---------------------------------------|---|
| Personal precautions | No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment (see section 8). |
| Environmental precautions | Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). |
| <u>Methods for cleaning up</u> | |
| Small spill | Move containers from spill area. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor. |

6 . Accidental Release Measures

Large spill Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor. Note: see section 1 for emergency contact information and section 13 for waste disposal.

7 . Handling and Storage

Handling Put on appropriate personal protective equipment (see section 8). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Do not get in eyes or on skin or clothing. Do not ingest. If during normal use the material presents a respiratory hazard, use only with adequate ventilation or wear appropriate respirator. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.

Storage Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

8 . Exposure Controls / Personal Protection

United States

| Ingredient | Exposure limits |
|---------------------|--|
| urea | AIHA WEEL (United States, 1/2008). TWA: 10 mg/m ³ 8 hour(s). |
| Limestone | OSHA PEL 1989 (United States, 3/1989). TWA: 15 mg/m ³ 8 hour(s). Form: Total dust TWA: 5 mg/m ³ 8 hour(s). Form: Respirable fraction NIOSH REL (United States, 6/2008). TWA: 10 mg/m ³ 10 hour(s). Form: Total TWA: 5 mg/m ³ 10 hour(s). Form: Respirable fraction OSHA PEL (United States, 11/2006). TWA: 15 mg/m ³ 8 hour(s). Form: Total dust TWA: 5 mg/m ³ 8 hour(s). Form: Respirable fraction |
| diiron trioxide | ACGIH TLV (United States, 1/2008). TWA: 5 mg/m ³ 8 hour(s). Form: Respirable fraction NIOSH REL (United States, 6/2008). TWA: 5 mg/m ³ , (as Fe) 10 hour(s). Form: Dust and fumes OSHA PEL 1989 (United States, 3/1989). TWA: 5 mg/m ³ 8 hour(s). Form: Respirable fraction TWA: 10 mg/m ³ 8 hour(s). Form: Total dust STEL: 10 ppm, (as Fe) 15 minute(s). Form: Total particulates OSHA PEL (United States, 11/2006). TWA: 10 mg/m ³ 8 hour(s). |
| magnesium carbonate | OSHA PEL 1989 (United States, 3/1989). TWA: 5 mg/m ³ 8 hour(s). Form: Respirable fraction TWA: 15 mg/m ³ 8 hour(s). Form: Total dust NIOSH REL (United States, 6/2008). TWA: 10 mg/m ³ 10 hour(s). Form: Total TWA: 5 mg/m ³ 10 hour(s). Form: Respirable fraction OSHA PEL (United States, 11/2006). TWA: 15 mg/m ³ 8 hour(s). Form: Total dust |

8 . Exposure Controls / Personal Protection

TWA: 5 mg/m³ 8 hour(s). Form: Respirable fraction

Canada

| Occupational exposure limits | | TWA (8 hours) | | | STEL (15 mins) | | | Ceiling | | | Notations |
|---|-----------------|---------------|-------------------|-------|----------------|-------------------|-------|---------|-------------------|-------|-----------|
| Ingredient | List name | ppm | mg/m ³ | Other | ppm | mg/m ³ | Other | ppm | mg/m ³ | Other | |
| Limestone | AB 6/2008 | - | - | 10 | - | - | - | - | - | - | |
| | BC 6/2008 | - | - | 3 | - | - | - | - | - | - | [a] |
| diiron trioxide diiron trioxide, as Fe | | - | - | 10 | - | - | - | - | - | - | [b] |
| | | - | - | - | - | 20 | - | - | - | - | [c] |
| | ON 6/2008 | - | - | 10 | - | - | - | - | - | - | [d] |
| | QC 6/2008 | - | - | 10 | - | - | - | - | - | - | [e] |
| | US ACGIH 1/2008 | - | - | 5 | - | - | - | - | - | - | [f] |
| | AB 6/2008 | - | - | 5 | - | - | - | - | - | - | [g] |
| | | - | - | 10 | - | - | - | - | - | - | [h] |
| | BC 6/2008 | - | - | 5 | - | - | - | - | - | - | [a] |
| | | - | - | 5 | - | 10 | - | - | - | - | [b] |
| | | - | - | 3 | - | - | - | - | - | - | [c] |
| diiron trioxide | ON 6/2008 | - | - | 10 | - | - | - | - | - | - | [a] |
| | | - | - | 5 | - | - | - | - | - | - | [b] |
| diiron trioxide, as Fe | QC 6/2008 | - | - | 5 | - | - | - | - | - | - | [c] |
| | US AIHA 1/2008 | - | - | 10 | - | - | - | - | - | - | [d] |
| urea | AB 6/2008 | - | - | 10 | - | - | - | - | - | - | |
| magnesium carbonate | BC 6/2008 | - | - | 3 | - | - | - | - | - | - | [a] |
| | | - | - | 10 | - | - | - | - | - | - | [b] |
| | ON 6/2008 | - | - | 10 | - | - | - | - | - | - | [c] |
| | QC 6/2008 | - | - | 10 | - | - | - | - | - | - | [d] |

Form: [a]Respirable dust [b]Total dust [c]total dust [d]Total dust. [e]Respirable fraction [f]Dust and fumes [g]Dust [h]Fume [i]The notation "respirable" following the name of an agent in this Schedule means that size fraction of the airborne particulate deposited in the gas-exchange region of the respiratory tract and collected during air sampling with a particle size-selective device that, (a) meets the American Conference of Governmental Industrial Hygienists (ACGIH) particle size-selective criteria; and (b) has the cut point of 4 microns at 50 per cent collective efficiency. [j]dust and fume

Mexico

| Ingredient | Exposure limits |
|---------------------|--|
| Limestone | NOM-010-STPS (Mexico, 9/2000). LMPE-PPT: 10 mg/m ³ 8 hour(s). LMPE-CT: 20 mg/m ³ 15 minute(s). |
| diiron trioxide | NOM-010-STPS (Mexico, 9/2000). LMPE-CT: 10 mg/m ³ , (as Fe) 15 minute(s). LMPE-PPT: 5 mg/m ³ , (as Fe) 8 hour(s). |
| magnesium carbonate | NOM-010-STPS (Mexico, 9/2000). LMPE-CT: 20 mg/m ³ 15 minute(s). LMPE-PPT: 10 mg/m ³ 8 hour(s). |

Consult local authorities for acceptable exposure limits.

Recommended monitoring procedures

If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment.

Engineering measures

If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.

8 . Exposure Controls / Personal Protection

Hygiene measures Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Personal protection

Respiratory Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

Hands Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.

Eyes Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists or dusts.

Skin Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Environmental exposure controls Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

9 . Physical and Chemical Properties

Physical state Solid.

10 . Stability and Reactivity

Chemical stability The product is stable.

Possibility of hazardous reactions Under normal conditions of storage and use, hazardous reactions will not occur.

Hazardous polymerization Under normal conditions of storage and use, hazardous polymerization will not occur.

Conditions to avoid No specific data.

Materials to avoid No specific data.

Hazardous decomposition products Under normal conditions of storage and use, hazardous decomposition products should not be produced.

11 . Toxicological Information

United States

Acute toxicity

| Product/ingredient name | Result | Species | Dose | Exposure |
|-------------------------|-----------------------|---------|------------|----------|
| magnesium carbonate | LD50 Oral | Rat | 8000 mg/kg | - |
| potassium chloride | LD50 Oral | Rat | 2600 mg/kg | - |
| urea | LD50 Intratracheal | Rat | 567 mg/kg | - |
| | LD50 Oral | Rat | 8471 mg/kg | - |

Classification

| Product/ingredient name | ACGIH | IARC | EPA | NIOSH | NTP | OSHA |
|-------------------------|-------|------|-----|-------|-----|------|
| diiron trioxide | A4 | 3 | - | - | - | - |

Canada

Acute toxicity

| Product/ingredient name | Result | Species | Dose | Exposure |
|-------------------------|-----------------------|---------|------------|----------|
| urea | LD50 Intratracheal | Rat | 567 mg/kg | - |
| magnesium carbonate | LD50 Oral | Rat | 8471 mg/kg | - |
| | LD50 Oral | Rat | 8000 mg/kg | - |

Classification

| Product/ingredient name | ACGIH | IARC | EPA | NIOSH | NTP | OSHA |
|-------------------------|-------|------|-----|-------|-----|------|
| diiron trioxide | A4 | 3 | - | - | - | - |

Mexico

Acute toxicity

| Product/ingredient name | Result | Species | Dose | Exposure |
|-------------------------|-----------|---------|------------|----------|
| magnesium carbonate | LD50 Oral | Rat | 8000 mg/kg | - |

11 . Toxicological Information

Classification

| Product/ingredient name | ACGIH | IARC | EPA | NIOSH | NTP | OSHA |
|-------------------------|-------|------|-----|-------|-----|------|
| diiron trioxide | A4 | 3 | - | - | - | - |
| | | | | | | |
| | | | | | | |

12 . Ecological Information

Environmental effects No known significant effects or critical hazards.

United States

Aquatic ecotoxicity

| Product/ingredient name | Test | Result | Species | Exposure |
|-------------------------|------|---|---|----------|
| potassium chloride | - | Acute LC50 337 mg/L Fresh water | Daphnia - Water flea - Daphnia magna | 48 hours |
| | - | Acute LC50 880000 to 1020000 ug/L Fresh water | Fish - Fathead minnow - Pimephales promelas - 1 to 7 days | 96 hours |
| urea | - | Acute LC50 66800 to 70500 ug/L Fresh water | Fish - Rohu - Labeo rohita - Egg | 96 hours |
| | - | Acute LC50 22500 ug/L | Fish - Mozambique tilapia - Tilapia mossambica | 96 hours |

Canada

Aquatic ecotoxicity

| Product/ingredient name | Test | Result | Species | Exposure |
|-------------------------|------|--|--|----------|
| urea | - | Acute LC50 66800 to 70500 ug/L Fresh water | Fish - Rohu - Labeo rohita - Egg | 96 hours |
| | - | Acute LC50 22500 ug/L | Fish - Mozambique tilapia - Tilapia mossambica | 96 hours |

Mexico

13 . Disposal Considerations



Waste disposal

The generation of waste should be avoided or minimized wherever possible. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Refer to Section 7: HANDLING AND STORAGE and Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION for additional handling information and protection of employees.

14 . Transport Information

| Regulatory information | UN number | Shipping name | Classes | PG* | Label | Additional information |
|------------------------|----------------|----------------|----------------|-----|--|------------------------|
| DOT Classification | Not available. | Not available. | Not available. | - |  | - |
| TDG Classification | Not available. | Not available. | Not available. | - |  | - |
| Mexico Classification | Not available. | Not available. | Not available. | - | | - |

PG* : Packing group

15 . Regulatory Information

United States

HCS Classification

Target organ effects

U.S. Federal regulations

TSCA 4(a) final test rules: biuret; Urea, reaction products with formaldehyde
United States inventory (TSCA 8b): Not determined.
 TSCA 12(b) one-time export: biuret; Urea, reaction products with formaldehyde

SARA 302/304/311/312 extremely hazardous substances: No products were found.

SARA 302/304 emergency planning and notification: No products were found.

SARA 302/304/311/312 hazardous chemicals: urea; potassium chloride; diiron trioxide; Limestone

SARA 311/312 MSDS distribution - chemical inventory - hazard identification:

urea: Immediate (acute) health hazard, Delayed (chronic) health hazard; potassium chloride: Immediate (acute) health hazard, Delayed (chronic) health hazard; diiron trioxide: Delayed (chronic) health hazard; Limestone: Immediate (acute) health hazard

Clean Water Act (CWA) 307: No products were found.

Clean Water Act (CWA) 311: diiron tris(sulphate)

Clean Air Act (CAA) 112 accidental release prevention: No products were found.

15 . Regulatory Information

Clean Air Act (CAA) 112 regulated flammable substances: No products were found.

Clean Air Act (CAA) 112 regulated toxic substances: No products were found.

Clean Air Act Section 112(b) Hazardous Air Pollutants (HAPs) Not listed

Clean Air Act Section 602 Class I Substances Not listed

Clean Air Act Section 602 Class II Substances Not listed

DEA List I Chemicals (Precursor Chemicals) Not listed

DEA List II Chemicals (Essential Chemicals) Not listed

SARA 313

| | <u>Product name</u> | <u>CAS number</u> | <u>Concentration</u> |
|--|-----------------------------------|-------------------|----------------------|
| Form R - Reporting requirements | ammonium dihydrogenorthophosphate | 7722-76-1 | 3 |
| Supplier notification | ammonium dihydrogenorthophosphate | 7722-76-1 | 3 |

SARA 313 notifications must not be detached from the MSDS and any copying and redistribution of the MSDS shall include copying and redistribution of the notice attached to copies of the MSDS subsequently redistributed.

State regulations

Connecticut Carcinogen Reporting: None of the components are listed.

Connecticut Hazardous Material Survey: None of the components are listed.

Florida substances: None of the components are listed.

Illinois Chemical Safety Act: None of the components are listed.

Illinois Toxic Substances Disclosure to Employee Act: None of the components are listed.

Louisiana Reporting: None of the components are listed.

Louisiana Spill: None of the components are listed.

Massachusetts Spill: None of the components are listed.

Massachusetts Substances: The following components are listed: MAGNESITE DUST; CALCIUM CARBONATE; IRON OXIDE DUST

Michigan Critical Material: None of the components are listed.

Minnesota Hazardous Substances: None of the components are listed.

New Jersey Hazardous Substances: The following components are listed: IRON OXIDE FUME

New Jersey Spill: None of the components are listed.

New Jersey Toxic Catastrophe Prevention Act: None of the components are listed.

New York Acutely Hazardous Substances: None of the components are listed.

New York Toxic Chemical Release Reporting: None of the components are listed.

Pennsylvania RTK Hazardous Substances: The following components are listed: LIMESTONE; IRON OXIDE (FE2O3)

Rhode Island Hazardous Substances: None of the components are listed.

California Prop. 65

WARNING: This product contains a chemical known to the State of California to cause cancer.

15 . Regulatory Information

| <u>Ingredient name</u> | <u>Cancer</u> | <u>Reproductive</u> | <u>No significant risk level</u> | <u>Maximum acceptable dosage level</u> |
|----------------------------|---------------|---------------------|----------------------------------|--|
| Quartz (SiO ₂) | Yes. | No. | No. | |

United States inventory (TSCA 8b) Not determined.

Canada

WHMIS (Canada) Class D-2A: Material causing other toxic effects (Very toxic).

Canadian lists


CEPA Toxic substances: None of the components are listed.
Canadian ARET: None of the components are listed.
Canadian NPRI: The following components are listed: Ammonia (total)
Alberta Designated Substances: None of the components are listed.
Ontario Designated Substances: None of the components are listed.
Quebec Designated Substances: None of the components are listed.

Canada inventory At least one component is not listed in DSL but all such components are listed in NDSL.

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products Regulations.

Mexico

Classification



EU regulations

Risk phrases

This product is not classified according to EU legislation.

International regulations

International lists

Australia inventory (AICS): Not determined.
China inventory (IECSC): Not determined.
Japan inventory (ENCS): Not determined.
Japan inventory (ISHL): Not determined.
Korea inventory (KECI): Not determined.
New Zealand Inventory of Chemicals (NZIoC): Not determined.
Philippines inventory (PICCS): Not determined.

Chemical Weapons Convention List Schedule I Chemicals

Not listed

Chemical Weapons Convention List Schedule II Chemicals

Not listed

Chemical Weapons Convention List Schedule III Chemicals

Not listed

16 . Other information

Label requirements

CONTAINS MATERIAL THAT MAY CAUSE TARGET ORGAN DAMAGE, BASED ON ANIMAL DATA.


Hazardous Material Information System (U.S.A.)

| | |
|------------------|---|
| Health | 1 |
| Flammability | 0 |
| Physical hazards | 0 |
| | |

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings are not required on MSDSs under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered mark of the National Paint & Coatings Association (NPCA). HMIS® materials may be purchased exclusively from J. J. Keller (800) 327-6868.

The customer is responsible for determining the PPE code for this material. Suggested protective clothing might not be adequate. Consult a specialist before handling this product.

National Fire Protection Association (U.S.A.)



Date of issue

4/8/2010.

Version

1

☑ Indicates information that has changed from previously issued version.

Notice to Reader:

The buyer assumes all risk in connection with the use of this material. The buyer assumes all responsibility for ensuring this material is used in a safe manner in compliance with applicable environmental, health and safety laws, policies and guidelines. Agrium Inc. assumes no responsibility or liability for the information supplied on this sheet, including any damages or injury caused thereby. Agrium Inc. does not warrant the fitness of this material for any particular use and assumes no responsibility for injury or damage caused directly or indirectly by or related to the use of the material. The information contained in this sheet is developed from what Agrium Inc. believes to be accurate and reliable sources, and is based on the opinions and facts available on the date of preparation.