



# 25-3-9

## Turf Fertilizer with 2% Iron

### Quality Blend Small Particle Size

- Contains Poly-S™ nitrogen for initial green-up, uniform growth and sustained nitrogen feeding.
- For use on turf areas mowed at a height of 0.6 cm (1/4 inch) or more.
- Contains iron to prevent or correct soil deficiencies.
- Closely matched particles sized to minimize segregation and maximize uniformity of spread.
- Ideal for use on fairways and trees.

### GENERAL INFORMATION

|                       |  |
|-----------------------|--|
| <b>Particle Size:</b> | -10 + 20 mesh (0.85 – 2.0 mm)  |
| <b>Bulk Density:</b>  | 54.0 lb/cu.ft.   |
| <b>Net Weight:</b>    | 17.96 kg (39.6 lb)   |
| <b>Coverage:</b>      | 1,022 m <sup>2</sup> @ 0.43 kg N / 100 m <sup>2</sup> (11,000 sq. ft. @ 0.9 lb N / 1,000 sq. ft) |

### PRODUCT SPECIFICATIONS

#### ANALYSIS 25-3-9

|           |     |   |
|-----------|-----|---|
| <b>N</b>  | 25% | A minimum of 97% of the total nitrogen is derived from Poly-S™ polymer-encapsulated sulphur-coated urea. The remaining 3% is from monoammonium phosphate. |
| <b>P</b>  | 3%  | Monoammonium Phosphate  |
| <b>K</b>  | 9%  | Potassium Sulphate  |
| <b>S</b>  | 14% | Elemental Sulphur, Potassium Sulphate   |
| <b>Fe</b> | 2%  | Iron Oxide  |

# 25-3-9

## Turf Fertilizer with 2% Iron

TECHNOLOGIE  
POLY-S<sup>™</sup>  
TECHNOLOGY

### PRECAUTIONS:

**KEEP OUT OF REACH OF CHILDREN.  
EYE CONTACT WITH CONTENTS MAY CAUSE  
IRRITATION. FLUSH EYES WITH WATER AS  
SOON AS POSSIBLE.**

### GUARANTEED MINIMUM ANALYSIS:

|   |     |
|---|-----|
| Total Nitrogen (N).....                                   | 25% |
| 24.3% urea nitrogen**                                     |     |
| Available phosphate (P <sub>2</sub> O <sub>5</sub> )..... | 3%  |
| Soluble potash (K <sub>2</sub> O).....                    | 9%  |
| Sulphur (S).....  | 14% |
| Iron (Fe) (actual).....                                   | 2%  |

\*\* All of the urea has been polymer-encapsulated sulphur-coated to provide 17.7% slow-release nitrogen

### DIRECTIONS FOR USE:

Apply any time during the growing season when turfgrasses need fertilization. Application may be repeated after 6 weeks as needed.

Apply to dry foliage.

Apply at the **NORMAL RATE** of 0.43 kg N / 100 sq. metres (0.9 lb N / 1,000 sq. ft.). Equivalent to 1.7 kg of product per 100 sq. metres or 3.6 lb of product per 1,000 sq. ft.

During periods of high temperatures of 27° C (80° F) or above, water in immediately after application.

Apply at the **HEAVY RATE** of 0.61 kg N / 100 sq. metres (1.25 lb N / 1,000 sq. ft.) in spring or fall to promote more greening and density enhancement. Equivalent to 2.4 kg of product per 100 sq. metres or 5.0 lb of product per 1,000 sq. ft.

Irrigating after application with 1.2 – 2.5 cm (1/2 to 1 inch) of water will hasten initial greening and aid the product's penetration into the turf.

Avoid mowing after application to prevent particle pick-up and fracture. Irrigating prior to mowing will reduce particle pick-up.

Product may remain visible in the turf for several days following application. For low cut turf, do not collect clippings for at least several days following application.

Do not use on putting greens or other turf areas mowed at less than 0.6 cm (1/4 inch).

Do not use with a drop-type spreader. Do not use at rates lower than those recommended since mottling may occur.

Do not expose unused product to moisture.

### STORAGE AND USE:

Store in a clean, dry place.

Reseal opened bag by folding top down and securing.

Use only clean, dry spreaders.

Do not leave unused product in spreaders.

### FIRST AID:

**IF SWALLOWED:** Get medical attention or contact poison control centre.

**IF IN EYES:** Flush with plenty of water and get medical attention or contact poison control centre.

**IF ON SKIN:** Wash with soap and flush with plenty of water.

### NOTICE TO BUYER:

Seller's guarantee shall be limited to the terms set out on the label and, subject thereto, the buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product on that condition.

### SUGGESTED SPREADER SETTINGS

To provide proper distribution, calibrate spreader before application.

**17.96 kg (39.6 lb) treats 1,022 sq. metres (11,000 sq. ft.) at the NORMAL RATE**

**17.96 kg (39.6 lb) treats 735 sq. metres (7,920 sq. ft.) at the HEAVY RATE**

| Spreader   | Ground Speed         | Width of Coverage | Normal Rate | Heavy Rate |
|--|----------------------|-------------------|-------------|------------|
| <b>ProTurf® Rotaries</b>                                 |                      |                   |             |            |
| <b>Accupro 2000 (Cone 8)</b>                             | 4.8 km/hr (3 mph)    | 4 m (13 feet)     | K           | M ½        |
| <b>SR 2000 (Cone 8)</b>                                  | 4.8 km/hr (3 mph)    | 4 m (13 feet)     | K           | M ½        |
| <b>R-8, R-8A (Cone 8)</b>                                | 4.8 km/hr (3 mph)    | 4 m (13 feet)     | L           | N          |
| <b>R-7X*</b>   | 4.8 km/hr (3 mph)    | 4 m (13 feet)     | H ½         | J ½        |
| <b>Lely Models WTR, WFR, HR and 1250. PTO at 450 rpm</b> | 7.25 km/hr (4.5 mph) | 11 m (36 feet)    | 5 ¾ I       | 6 ¾ I      |
| <b>Vicon (02 Series - Standard Spout)</b>                | 7.25 km/hr (4.5 mph) | 11 m (36 feet)    | 26          | 32         |
| <b>Vicon (03 Series - Standard Spout)</b>                | 7.25 km/hr (4.5 mph) | 8.5 m (28 feet)   | 23          | 28         |
| <b>*Slide 1/4 closed.</b>                                |                      |                   |             |            |



ProTurf® is a registered trademark and Poly-S is a trademark, used under licence from The Scotts Company. Nu-Gro Corporation, 10 Craig Street, Brantford, Ontario N3R 7J1

September, 2001